

Smith Resx Localizer Tool Version 1.0



Users' Manual



Table of Contents

I. Introduction	3
A. Program Features	3
II. Smith Localizer Prerequisites	3
A. Obtaining a Google API Key	
III. Using the Smith Localizer Tool	4
A. Configure Your Application	4





I. Introduction

The Smith Resx Localizer Tool opens the door to improved sales and profits by making it easy to translate your software into numerous languages. Smith Resx Localizer gives you complete control over the translation process, while still maintaining the user-friendly aspect that is found in all of our modules and applications.

A. Program Features

- User-friendly software localization tool no programming knowledge necessary!
- Utilizes the Google Translation Software
- Expedite software localization projects translate faster than ever before
- Applicable with all major languages

II. Smith Localizer Prerequisites

The Smith Resx Localizer Tool is ready to use immediately after download. The only external requirement is a Google API key. Every request your application sends to the Google Translate API must identify your application to Google, using an API key.

A. Obtaining a Google API Key

"To acquire an API key, visit the <u>APIs Console</u>. In the Services pane, activate the Google Translate API; if the Terms of Service appear, read and accept them.

Next, go to the <u>API Access</u> pane. The API key is near the bottom of that pane, in the section titled "Simple API Access."

After you have an API key, your application can append the query

parameter key=yourAPIKey to all request URLs.

The API key is safe for embedding in URLs; it doesn't need any encoding."

-https://developers.google.com/translate/v2/using_rest#auth



III. Using the Smith Resx Localizer Tool

Once you have a Google API key, you are ready to use the Smith Resx Localizer Tool. In a few simple steps, you will have the ability to translate entire folders of .resx files in one click!

A. Configure Your Application

Step 1 - Enter your Google API Key and browse for your source folder. The source folder is the folder that contains the files you wish to translate.

💀 SmithLocalizer 1.0		
Google API Key:		
Resource		
Source Folder:		Browse
Target Folder:		Browse
Language		
Source Language:	Arabic (Saudi Arabia)	▼
Target Language:	Arabic (Saudi Arabia)	•
		Close Translate

Step 2 – Locate your Source Folder. Please Note: If you are doing multiple translations, verify your Source Folder with each translation.



Google API Key:	
Resource	
Source Folder: Target Folder:	Browse For Folder
Language Source Language:	Resources
Target Language:	Smith.AddressBook App_LocalResources Images
	Smith.Atfiliate l'acking Smith.BuyNow Smith.CategoryMenu Smith.CategoryMenu
	Smith.FeaturedProducts Smith.ManufacturerMenu Smith.MiniCart
he	Make New Folder OK Cancel

Step 3 - Locate your Target Folder. Please Note: If you are doing multiple translations, verify your Target Folder with each translation.

💀 SmithLocalizer 1.0		
Google API Key:		
Resource	Browse For Folder	- X
Source Folder		
Target Folder		
Language Source Language Target Language	 Hebrew Smith.AddressBook App_LocalResources Smith.AffiliateTracking Smith.BuyNow Smith.CategoryMenu Smith.FeaturedProducts Smith.ManufacturerMenu Smith.MiniCart Smith.MiniCart Make New Folder 	Cancel

Step 4 - Select your Source Language. The Language you are *translating from* is your Source Language.



🖳 SmithLocalizer 1.0	4 y 244	
Google API Key:	£	
Resource		
Source Folder: Target Folder:	C:\Users\scadmin\Desktop\Resources\Smith. <i>i</i> C:\Users\scadmin\Desktop\Hebrew\Smith.Adc	Browse Browse
Language		
Source Language:	English (United States)	•
Target Language:	English (United States) Finnish (Finland) French (France) Hebrew (Israel) Hungarian (Hungary) Joalandie (Joaland)	
	Italian (Italy)	
	Vorean (Korea) Dutch (Netherlands) Norwegian, Bokmål (Norway) Polish (Poland) Porti unese (Brazil)	

Step 5 - Select your Target Language. The Language you are *translating to* is your Target Language.

🖳 SmithLocalizer 1.0	THE R. LEWIS CO., LANSING MICH.	
Google API Key:	F	
Resource		
Source Folder:	C:\Users\scadmin\Desktop\Hebrew\Smith.Min	Browse
Target Folder:	$\label{eq:c:Users} C: \label{eq:users} C: \l$	Browse
Language		
Source Language:	English (United States)	•
Target Language:	Hebrew (Israel) Hebrew (Israel) Hungarian (Hungary) Icelandic (Iceland) Italian (Italy) Japanese (Japan) Korean (Korea) Dutch (Netherlands) Norwegian, Bokmål (Norway) Polish (Poland) Portuguese (Brazil)	



Step 6 - Click "Translate"

💀 SmithLocalizer 1.0	
Google API Key:	
Resource	
Source Folder:	C:\Users\scadmin\Desktop\Resources\Smith.J Browse
Target Folder:	C:\Users\scadmin\Desktop\Hebrew\Smith.Affil Browse
Language	
Source Language:	English (United States)
Target Language:	Hebrew (Israel)
	Close Translate

Smith Resx Localizer renames the files for you. The program will display the following status bar when your translation is complete:

Finished		
	Close	Translate

You have now successfully completed your first Smith Translation!